
Printing date 12.10.2018

Version number 5

Revision: 12.10.2018



Printing date 12.10.2018

Version number 5

Revision: 12.10.2018

Trade name: Deodorante Profumo d'Oriente



- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 68476-40-4	Hydrocarbons, C3-4	60-80%
EINECS: 270-681-9 Reg.nr.: 01-2119486557-22	Flam. Gas 1, H220; Flam. Liq. 1, H224; Press. Gas (Comp.), H280	
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21	propane line Flam. Gas 1, H220; Press. Gas (Comp.), H280	15-25%

Printing date 12.10.2018

Version number 5

Revision: 12.10.2018

Trade name: Deodorante Profumo d'Oriente

		d. of page 2
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43	ethanol 🚸 Flam. Liq. 2, H225; 🚯 Eye Irrit. 2, H319	5-15%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47-0007	(R)-p-mentha-1,8-diene	1-2%
CAS: 78-70-6 EINECS: 201-134-4 Reg.nr.: 01-2119474016-42-0000	3,7-Dimethyl-1,6-octadien-3-ol Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	1-2%
CAS: 101-86-0 EINECS: 202-983-3	alpha-Hexylcinnamaldehyde Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Sens. 1, H317	1-2%
CAS: 31906-04-4 EINECS: 250-863-4	idrossiisoesil 3-cicloesan carbossialdeide Skin Sens. 1, H317; Aquatic Chronic 3, H412	0.1-1%
CAS: 106-22-9 EINECS: 203-375-0 Reg.nr.: 01-2119453995-23-0000	3,7-Dimethyl-6-octen-1-ol Aquatic Chronic 2, H411; (1) Skin Irrit. 2, H315; Skin Sens. 1, H317	0.1-1%
CAS: 54464-57-2 EINECS: 259-174-3 Reg.nr.: 01-2119489989-04-0000	1-(1,2,,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2- naphthyl)ethanone Aquatic Chronic 1, H410; (1) Skin Irrit. 2, H315; Skin Sens. 1, H317	0.1-1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Rescue workers must wear the protective equipment described in section 8.2 of this safety data sheet.

Take affected persons out into the fresh air.

- After inhalation: Supply fresh air.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:
- Rinse your mouth well

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** In case of fire, the following can be released: Carbon monoxide (CO) Nitrogen oxides (NOx)
- · 5.3 Advice for firefighters
- · Protective equipment:

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

⁻ GB

Printing date 12.10.2018

Version number 5

Revision: 12.10.2018

Trade name: Deodorante Profumo d'Oriente

See Section 8 for information on personal protection equipment.

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. · Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location. Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 64-17-5 ethanol
- WEL Long-term value: 1920 mg/m³, 1000 ppm
- · DNELs

64-17-5 et	thanol	
Oral	Long term, systemic effect	87 mg/kg (general population)
Dermal	Long term, systemic effect	206 mg/kg (general population)
		343 mg/kg (professional workers)
Inhalative	Short term, local effect	950 mg/m3 (general population)
		1,900 mg/m3 (professional workers)
	Long term, systemic effect	114 mg/m3 (general population)
		950 mg/m3 (professional workers)
		(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.10.2018

Version number 5

Revision: 12.10.2018

Trade name: Deodorante Profumo d'Oriente

	nrai	pan-2-ol			(Contd. of pag
Oral			ic effect	26 mg/kg bw/day (general population)	
Derma				319 mg/kg bw/day (general population)	
Donna	`	ing term, eyetern		888 mg/kg bw/day (professional workers)	
Inhalat	ive Lo	ona term, svstem	ic effect	89 mg/m3 (general population)	
-			500 mg/m3 (professional workers)		
PNECs	 S				
64-17-	-	anol			
PNEC	2.9 n	ng/kg (marine wat	ter sedin	nents)	
	0.63	mg/kg (soil)			
PNEC	3.6 m	ng/l (freshwater)			
	284.7	74 mg/l (fresh wat	ter sedin	nents)	
	580 r	ng/l (sewage trea	ntment p	lant)	
		pan-2-ol			
PNEC		9 mg/l (freshwater	,		
		9 mg/l (fresh wate			
		9 mg/l (intermitten		es)	
		9 mg/l (marine wa	,		
		ng/l (marine wate	er sedime	ents)	
		g/l (soil)			
		1 mg/l (sewage tre		plant) Id during the making were used as basis.	
Persor Genera Wash I	n al pr al pro hands	e controls otective equipm tective and hygi before breaks ar	i <mark>enic me</mark> nd at the	end of work.	
Person Genera Wash I Keep a Respir Protec Materia Penetr	nal pro al pro hands away fi ratory ction c al of g ration	otective equipm tective and hygi	ienic me nd at the everage required quired.	e end of work. s and feed. d.	
Person Genera Wash I Keep a Respir Protec Materia Penetr Eye pr SECT 9.1 Infe	nal pro hands hands away fi ratory ction c al of g ration rotecti TION	otective equipm tective and hygi before breaks ar rom foodstuffs, be protection: Not of hands: Not req gloves Void time of glove m ion: Not required 9: Physical a	ienic me nd at the everage required quired. aterial	e end of work. s and feed. d.	
Person Genera Wash I Keep a Respir Protec Materia Penetr Eye pr SECT 9.1 Info Genera Appea	nal pro al pro hands away fi ratory stion c al of g ration rotecti rotecti fi fi ormat al Info rance	otective equipm tective and hygi before breaks ar rom foodstuffs, be protection: Not of hands: Not req gloves Void time of glove m ion: Not required 9: Physical a tion on basic ph ormation	ienic me nd at the everage required quired. aterial	e end of work. s and feed. d. Void emical properties	
Person Genera Wash I Keep a Respir Protec Materia Penetr Eye pr SECT 9.1 Info Genera Appea Form	nal pro al pro hands way fi ratory ction c al of g ration rotecti rotecti fi ormat al Info rance n:	otective equipm tective and hygi before breaks ar rom foodstuffs, be protection: Not of hands: Not req gloves Void time of glove m ion: Not required 9: Physical a tion on basic ph ormation	ienic me nd at the everage required quired. aterial	e end of work. s and feed. d. Void emical properties and chemical properties Aerosol	
Person Genera Wash I Keep a Respir Protec Materia Penetr Eye pr SECT 9.1 Info Genera Appea Form Colo	nal pro al pro hands way fi ratory ction c al of g ration rotecti rotecti rotecti ormat al Info rance n: pur:	otective equipm tective and hygi before breaks ar rom foodstuffs, be protection: Not of hands: Not req gloves Void time of glove m ion: Not required 9: Physical a tion on basic ph ormation	ienic me nd at the everage required quired. aterial	e end of work. s and feed. d. Void emical properties and chemical properties Aerosol Colourless	
Person Genera Wash I Keep a Respir Protec Materia Penetr Eye pr SECT 9.1 Info Genera Appea Form	nal pro al pro hands haway fi ratory ction c al of g ration rotecti rotecti ormat al Info rance n: pur:	otective equipm tective and hygi before breaks ar rom foodstuffs, be protection: Not of hands: Not req gloves Void time of glove m ion: Not required 9: Physical a tion on basic ph ormation	ienic me nd at the everage required quired. aterial	e end of work. s and feed. d. Void emical properties and chemical properties Aerosol	
Person Genera Wash I Keep a Respir Protec Materia Penetr Eye pro SECT 9.1 Infe Genera Appea Form Colo Odour	nal pro al pro hands way fi ratory stion c al of g ration rotection ormat al Info rance n: sur: sthres	otective equipm tective and hygi before breaks ar rom foodstuffs, be protection: Not of hands: Not req gloves Void time of glove m ion: Not required 9: Physical a tion on basic ph ormation	ienic me nd at the everage required quired. aterial	e end of work. s and feed. d. Void emical properties and chemical properties Aerosol Colourless Pleasant	
Person Genera Wash I Keep a Respir Protec Materia Penetr Eye pr SECT 9.1 Info Genera Appea Form Colo Odour Odour Ddour pH-val Chang Melti	nal pro al pro hands way fi ratory ction c al of g ration rotection rotection rotection ormat al Info rance n: cur: c thres lue: lue: lue in c ing po	otective equipm tective and hygi before breaks ar rom foodstuffs, be protection: Not of hands: Not req gloves Void time of glove m ion: Not required 9: Physical a tion on basic ph ormation e: shold:	ienic me nd at the everage. required. paterial \ nd che ysical a	e end of work. s and feed. d. Void Emical properties and chemical properties Aerosol Colourless Pleasant Not determined. Not determined. Undetermined.	
Person Genera Wash I Keep a Respir Protec Materia Penetr Eye pro SECT 9.1 Info Genera Appea Form Colo Odour Odour pH-val Chang Melti Initia	nal pro al pro hands way fi ratory ction c al of g ration rotecti ormat al Info rance n: vur: thres lue: lue: lue: lue in c ing po al boil	otective equipm tective and hygi before breaks ar rom foodstuffs, be protection: Not of hands: Not req gloves Void time of glove m ion: Not required 9: Physical a bion on basic ph ormation e: shold:	ienic me nd at the everage. required. paterial \ nd che ysical a	e end of work. s and feed. d. Void emical properties and chemical properties Aerosol Colourless Pleasant Not determined. Not determined. Undetermined. undetermined.	
Person Genera Wash I Keep a Respir Protec Materia Penetri Eye protec SECT 9.1 Info Genera Appea Form Colo Odour Odour Odour DH-val Chang Melti Initia Flash I	nal pro al pro hands way f ratory ction c al of g ration rotection	otective equipm tective and hygi before breaks ar rom foodstuffs, be protection: Not of hands: Not req gloves Void time of glove m ion: Not required 9: Physical a bion on basic ph ormation e: shold:	ienic me nd at the everage. required. paterial \ nd che ysical a	e end of work. s and feed. d. Void Emical properties and chemical properties Aerosol Colourless Pleasant Not determined. Not determined. Undetermined.	

Printing date 12.10.2018

Version number 5

Revision: 12.10.2018

Trade name: Deodorante Profumo d'Oriente

	(Contd. of page 5)
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Soluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid

Excessive variations in temperature, below 0 ° C and above 40 ° C

- excessive variations in temperature, below 0 $^\circ$ C and above 45 $^\circ$ C
- 10.5 Incompatible materials: Avoid contact with acids and oxidants.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

64-17-5 et	thanol	
Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)
67-63-0 p	ropan-2-o	1
Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	27.2 mg/l (mouse) (Esposizione 4 h)
		72.6 mg/l (rat) (Esposizione 4 h)
78-70-6 3,	7-Dimethy	yl-1,6-octadien-3-ol
Oral	LD50	2,790 mg/kg (rat)
Dermal	LD50	5,610 mg/kg (rabbit)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 12.10.2018

Version number 5

Revision: 12.10.2018

(Contd. of page 6)

Trade name: Deodorante Profumo d'Oriente

- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

67-63-0 propan-2-ol

CL50 1,400 mg/l (fish) (Esposzione 96 h)

EC50 2,285 mg/l (daphnia) (Esposzione 48 h)

- 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Do not discard the product or its packaging. Do not empty into drains. Recycle the product. When recycling is not possible, dispose through an authorized company in compliance with the local or national regulations. The assignment of the waste code is the user's responsibility, after determining the properties of the waste and the process generating it and after discussing it with the authorities responsible for disposal.

· Uncleaned packaging:

· Recommendation:

Empty the containers before disposal. Do not reuse the emptied containers. Send the empty containers to recycling or to an authorized company in compliance with local and national regulations.

· 14.1 UN-Number		
· ADR, IMDG, IATA	UN1950	
· 14.2 UN proper shipping name		
ADR	1950 AEROSOLS	

Printing date 12.10.2018

Version number 5

Revision: 12.10.2018

Trade name: Deodorante Profumo d'Oriente

IATA AEROSOLS, flammable 14.3 Transport hazard class(es) ADR Image: Class 2 5F Gases. Label 2.1 IMDG, IATA Image: Class 2.1 IMDG, IATA Image: Class 2.1 Label 2.1 IASE Environmental hazards: No Marine pollutant: No 14.5 Special precautions for user Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category 0.2 Category 0.2 Stowage Code SW22 For AEROSOLS with a capacity above 1 litre: Category 0.2 Segregation Code SG69 For AEROSOLS with a capacity of 1 litre: Segregation as for class 9.5 tor WASTE AEROSOLS: Category 0.2 Clear of livision of 1.4. For AEROSOLS with a capacity above 1 litre: Category 1.4. For AEROSOLS with a capacity of clear of livision of class 2. For WASTE Segregation Code SG69 For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. 1 I		(Contd. of page
ADR Class 2 5F Gases. Label 2.1 IMDG, IATA Class 2.1 Label 2.1 IMDG, IATA Class 2.1 Label 2.1 14.4 Packing group ADR, IMDG, IATA Void 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 line: Category A. For AEROSOLS with a capacity above 1 line: Category C, Clear of Iking quarters. Segregation Code SG6 For AEROSOLS with a maximum capacity of 1 line: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 line: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0 MDG Limited quantities (LQ) 1L Excepted quan	IMDG IATA	AEROSOLS AEROSOLS, flammable
Class 2 5F Gases. Label 2.1 IMDG, IATA Class 2.1 IMDG, IATA Class 2.1 Label 2.1 14.4 Packing group ADR, IMDG, IATA Void 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler):	14.3 Transport hazard class(es)	
Label 2.1 IMDG, IATA Imposed of the second of t	ADR	
Label 2.1 IMDG, IATA IMDG, IATA Imposed of the second s		
IMDG, IATA Class 2.1 Label 2.1 14.4 Packing group ADR, IMDG, IATA ADR, IMDG, IATA Void 14.5 Environmental hazards: Marine pollutant: Marine pollutant: No 14.6 Special precautions for user Warning: Gases. Danger code (Kemler): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. Sw22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category D. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS. with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR ADR Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 1L Limited quantities (LQ) 1L Excepted quan	Class Label	
Label 2.1 14.4 Packing group ADR, IMDG, IATA Void 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler): No 14.6 Special precautions for user Danger code (Kemler): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SV22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) Code: EO Not permitted as Excepted Quantity Transport category Tunnel restriction code D IMDG 1L Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 1L	IMDG, IATA	2.1
Label 2.1 14.4 Packing group ADR, IMDG, IATA Void 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler): No 14.6 Special precautions for user Danger code (Kemler): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SV22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) Code: EO Not permitted as Excepted Quantity Transport category Tunnel restriction code D IMDG 1L Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 1L		
ADR, IMDG, IATA Void 14.5 Environmental hazards: No Marine pollutant: No 14.6 Special precautions for user Warning: Gases. Danger code (Kemler): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category C. Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation Code SG69 For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0 MDG D Limited quantities (LQ) 1L Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Limited quantities (EQ) Code: E0	Class Label	
Marine pollutant: No 14.6 Special precautions for user Warning: Gases. Danger code (Kemler): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) 2 Tunnel restriction code D IMDG Limited quantities (LQ) 1L Limited quantities (LQ) 1L Limited quantities (LQ) 1L Excepted quantities (LQ) 1L Limited quantities (LQ) 1L Excepted quantities (EQ) 1L	14.4 Packing group ADR, IMDG, IATA	Void
Danger code (Kemler): - EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (LQ) 2 Tunnel restriction code D IMDG Imited quantities (LQ) 1L Limited quantities (LQ) 1L Limited quantities (EQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L	14.5 Environmental hazards: Marine pollutant:	No
EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Limited quantities (LQ) 1L Excepted quantities (EQ) 1L Image: Code Not permitted as Excepted Quantity Transport category 2 Tunnel restriction code D IMDG 1L Limited quantities (LQ) 1L Limited quantities (EQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L Excepted quantities (EQ) 1L	14.6 Special precautions for user Danger code (Kemler):	Warning: Gases. -
Sw22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR Limited quantities (LQ) Transport category Transport category Transport category Transport category Limited quantities (LQ) Limited quantities (LQ) Limi	EMS Number:	F-D,S-U
Segregation CodeSG69 For AEROSOLS with a maximum capacity o 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR Limited quantities (LQ)1L Code: E0 Not permitted as Excepted QuantityTransport category Tunnel restriction code2IMDG Limited quantities (LQ)1L Code: E0IMDG Limited quantities (LQ)1L Code: E0Imited quantities (LQ)1L DImited quantities (LQ)1L Code: E0	Stowage Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE
of Marpol and the IBC CodeNot applicable.Transport/Additional information:ADRLimited quantities (LQ)1LExcepted quantities (EQ)Code: E0 Not permitted as Excepted QuantityTransport category2 DTunnel restriction codeDIMDG Limited quantities (LQ)1L Code: E0 DExcepted quantities (LQ)1L Code: E0	Segregation Code	SG69 For AEROSOLS with a maximum capacity o 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as
ADR Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity Transport category 2 Tunnel restriction code D IMDG Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0		
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E0 Not permitted as Excepted QuantityTransport category2Tunnel restriction codeDIMDG Limited quantities (LQ)1L Code: E0Excepted quantities (EQ)Code: E0	Transport/Additional information:	
Transport category2Tunnel restriction codeDIMDG1LLimited quantities (LQ)1LExcepted quantities (EQ)Code: E0	ADR Limited quantities (LQ) Excepted quantities (EQ)	Code: E0
Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E0	Transport category Tunnel restriction code	2
Not permitted as Excepted Quantity	IMDG Limited quantities (LQ) Excepted quantities (EQ)	Code: E0
		Not permitted as Excepted Quantity (Contd. on page

Printing date 12.10.2018

Version number 5

Revision: 12.10.2018

(Contd. of page 8)

Trade name: Deodorante Profumo d'Oriente

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety data sheet prepared in accordance with Regulation 1907/2006/EC Article 31, Regulation (EU) No 830/2015 as subsequent amendments.

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes (d-Limonene, Linalool, Hexyl cinnam-aldehyde, idrossiisoesil 3-cicloesan carbossialdeide, Citronellol)

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P3a FLAMMABLE AEROSOLS

· Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Relevant phrases

H220 Extremely flammable gas.

H224 Extremely flammable liquid and vapour.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

As required by Regulation 1272/2008/CE art. 9, the classification of this compound is based on the calculation method taken from the data of the single substances therein and from the experimental data of this compound where available (viewable in sections 9, 11 and 12 in this document). Procedure used for the classification of the mixture

· Contact: ---

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)

Printing date 12.10.2018

Version number 5

Revision: 12.10.2018

Trade name: Deodorante Profumo d'Oriente

	(Contd. of page 9)
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Gas 1: Flammable gases – Category 1	
Aerosol 1: Aerosols – Category 1	
Press. Gas (Comp.): Gases under pressure – Compressed gas	
Flam. Liq. 1: Flammable liquids – Category 1	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
* Data compared to the previous version altered.	
, , ,	GB —